

GOLDEN HIGHOPE INDUSTRIAL INC.

2F NO.198 HUAI NING STREET, SOUTH AREA, TAICHUNG, TAIWAN

PHONE:+886-04-23726536 FAX:+886-4-23726216 Email: highope@ms15.hinet.net Contact: Mr. Winston Chiu

CERTIFICATE OF QUALITY

CERTIFICATE NO. GHH-342596

For and on behalf of
GOLDEN HIGHOPE INDUSTRIAL INC.



Authorized Signature(s)

Inspect Test Date: APR, 13, 2022

To : TUBO Y ACERO DE MONTERREY SA DE CV

Invoice No.: 22012201F

The Goods Name : CARBON STEEL BW FITTINGS ASTM A234 WPB

CONEXION DE ACERO AL CARBON SOLDABLE

HEAT NO. 650245

Item	Product specification	Quantity	N.W. (UNIT) KG	N.W. (TOTAL) KG	PRICE PER KG USD	PRICE (TOTAL) USD	Charge No	Mechanical Properties			Chemical Composition				
								Tensile Strength	Yieldpoint	Elongation	C	Mn	P	S	Si
NO.1	90 DEG ELBOW LR STD 3/4"	250	0.09	22.50	3.444	77.50	21127	435/439	261/267	24/27	0.19	0.38	0.025	0.027	0.26
NO.2	90 DEG ELBOW LR STD 1"	1200	0.14	168.00	3.143	528.00	21133	432/437	251/256	22/25	0.21	0.39	0.026	0.024	0.24
NO.3	90 DEG ELBOW LR STD 1-1/4"	2800	0.23	644.00	2.913	1876.00	21142	435/440	253/258	24/26	0.17	0.41	0.027	0.029	0.27
NO.4	90 DEG ELBOW LR STD 1-1/2"	2000	0.33	660.00	2.727	1800.00	21148	437/441	260/265	25/27	0.21	0.41	0.024	0.027	0.19
NO.5	90 DEG ELBOW LR STD 2"	2000	0.60	1200.00	2.500	3000.00	21160	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.6	90 DEG ELBOW LR STD 2-1/2"	250	1.15	287.50	2.391	687.50	21173	440/445	248/253	25/29	0.21	0.39	0.027	0.028	0.20
NO.7	90 DEG ELBOW LR STD 3"	600	1.85	1110.00	2.303	2556.00	21189	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.8	90 DEG ELBOW LR STD 4"	300	3.50	1050.00	2.206	2316.00	21114	511/516	254/259	25/29	0.20	0.38	0.028	0.027	0.26
NO.9	90 DEG ELBOW LR STD 5"	50	5.90	295.00	2.110	622.50	21140	523/528	264/269	27/29	0.21	0.37	0.027	0.029	0.23
NO.10	90 DEG ELBOW LR STD 6"	80	9.25	740.00	2.068	1530.40	21168	531/536	261/266	24/28	0.20	0.39	0.029	0.027	0.26
NO.11	90 DEG ELBOW LR STD 8"	80	18.50	1480.00	1.976	2924.80	21119	475/480	270/275	23/26	0.18	0.54	0.029	0.030	0.26
NO.12	90 DEG ELBOW LR STD 10"	25	32.00	800.00	2.045	1636.00	21183	493/498	273/278	26/29	0.19	0.61	0.024	0.028	0.29
NO.13	90 DEG ELBOW LR STD 12"	5	47.80	239.00	1.967	470.00	21125	435/440	265/270	25/28	0.21	0.55	0.027	0.028	0.25
NO.14	90 DEG ELBOW LR XH 1"	35	0.18	6.30	3.611	22.75	21633	431/436	263/268	24/26	0.22	0.39	0.031	0.025	0.24
NO.15	90 DEG ELBOW LR XH 1-1/4"	25	0.30	7.50	3.000	22.50	21642	521/526	262/267	23/28	0.21	0.44	0.032	0.028	0.25
NO.16	90 DEG ELBOW LR XH 1-1/2"	25	0.45	11.25	2.733	30.75	21648	542/546	258/263	23/27	0.18	0.35	0.028	0.030	0.24
NO.17	90 DEG ELBOW LR XH 2"	35	0.83	29.05	2.554	74.20	21660	442/447	260/265	25/28	0.19	0.38	0.026	0.027	0.23
NO.18	90 DEG ELBOW LR XH 2-1/2"	25	1.57	39.25	2.656	104.25	21673	447/452	253/258	26/29	0.21	0.37	0.029	0.028	0.26
NO.19	90 DEG ELBOW LR XH 3"	25	2.50	62.50	2.508	156.75	21689	529/531	259/264	27/29	0.17	0.39	0.025	0.029	0.19
NO.20	90 DEG ELBOW LR XH 4"	25	4.80	120.00	2.538	304.50	21614	456/461	263/268	25/27	0.18	0.61	0.030	0.027	0.27
NO.21	90 DEG ELBOW LR XH 6"	25	14.00	350.00	2.357	825.00	21668	554/559	275/280	26/28	0.22	0.45	0.028	0.030	0.25

Item	Product specification	Quantity	N.W. (UNIT) KG	N.W. (TOTAL) KG	PRICE PER KG USD	PRICE (TOTAL) USD	Charge No	Mechanical Properties			Chemical Composition				
								Tensile Strength	Yieldpoint	Elongation	C	Mn	P	S	Si
NO.22	90 DEG ELBOW LR XH 8"	5	28.00	140.00	2.387	334.20	21619	474/479	264/269	24/27	0.17	0.59	0.025	0.029	0.29
NO.23	90 DEG ELBOW LR XH 10"	3	44.00	132.00	2.453	323.76	21683	491/496	266/271	23/26	0.19	0.42	0.029	0.030	0.26
NO.24	90 DEG ELBOW LR XH 12"	2	63.00	126.00	2.321	292.42	21625	435/438	270/275	23/27	0.22	0.45	0.026	0.029	0.30
NO.25	90 DEG ELBOW SR STD 2"	50	0.40	20.00	3.500	70.00	21160	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.26	90 DEG ELBOW SR STD 2-1/2"	35	0.77	26.95	3.377	91.00	21173	440/445	248/253	25/29	0.21	0.39	0.027	0.028	0.20
NO.27	90 DEG ELBOW SR STD 3"	25	1.24	31.00	3.202	99.25	21189	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.28	90 DEG ELBOW SR STD 4"	25	2.35	58.75	3.038	178.50	21114	511/516	254/259	25/29	0.20	0.38	0.028	0.027	0.26
NO.29	90 DEG ELBOW SR STD 6"	15	6.20	93.00	2.634	244.95	21168	531/536	261/266	24/28	0.20	0.39	0.029	0.027	0.26
NO.30	90 DEG ELBOW SR STD 8"	10	12.40	124.00	2.409	298.70	21119	475/480	270/275	23/26	0.18	0.54	0.029	0.030	0.26
NO.31	45 DEG ELBOW STD 2"	35	0.30	10.50	3.000	31.50	21160	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.32	45 DEG ELBOW STD 3"	65	0.93	60.45	2.753	166.40	21189	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.33	45 DEG ELBOW STD 4"	65	1.75	113.75	2.634	299.65	21114	511/516	254/259	25/29	0.20	0.38	0.028	0.027	0.26
NO.34	45 DEG ELBOW STD 6"	35	4.63	162.05	2.471	400.40	21168	531/536	261/266	24/28	0.20	0.39	0.029	0.027	0.26
NO.35	45 DEG ELBOW STD 10"	5	16.00	80.00	2.263	181.05	21183	493/498	273/278	26/29	0.19	0.61	0.024	0.028	0.29
NO.36	45 DEG ELBOW STD 14"	2	30.50	61.00	2.237	136.46	21135	437/441	263/268	27/29	0.17	0.45	0.026	0.026	0.26
NO.37	45 DEG ELBOW STD 18"	2	51.00	102.00	2.259	230.46	21157	511/516	278/283	24/26	0.18	0.47	0.025	0.029	0.30
NO.38	45 DEG ELBOW XH 3"	35	1.25	43.75	3.056	133.70	21689	529/531	259/264	27/29	0.17	0.39	0.025	0.029	0.19
NO.39	45 DEG ELBOW XH 4"	25	2.40	60.00	2.975	178.50	21614	456/461	263/268	25/27	0.18	0.61	0.030	0.027	0.27
NO.40	45 DEG ELBOW XH 6"	20	7.00	140.00	2.834	396.80	21668	554/559	275/280	26/28	0.22	0.45	0.028	0.030	0.25
NO.41	45 DEG ELBOW XH 10"	3	22.00	66.00	2.500	165.00	21683	491/496	266/271	23/26	0.19	0.42	0.029	0.030	0.26

10322

Total Net Weight: 10,973.05kgs

Manufacturer : Golden Highope Industrial Inc.

Exporter : Golden Highope Industrial Inc.

Total Amount: \$25,818.10 USD

Country of Origin: Taiwan.

Name: MR. WINSTON CHIU

Company's position: QUALITY MANAGER

Signature:



For and on behalf of
GOLDEN HIGHOPE INDUSTRIAL INC.



Authorized Signature(s)

GOLDEN HIGHOPE INDUSTRIAL INC.

2F NO.198 HUAI NING STREET, SOUTH AREA, TAICHUNG, TAIWAN

PHONE:+886-04-23726536 FAX:+886-4-23726216 Email: highope@ms15.hinet.net Contact: Mr. Winston Chiu

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. GHH-342596

For and on behalf of
GOLDEN HIGHOPE INDUSTRIAL INC.


.....
Authorized Signature(s)

To : TUBO Y ACERO DE MONTERREY SA DE CV

Invoice No.: 22012201F

The Goods Name : CARBON STEEL BW FITTINGS ASTM A234 WPB

CONEXION DE ACERO AL CARBON SOLDABLE

HEAT NO. 650245

Inspect Test Date:APR,13,2022

Item	Product specification	Quantity	N.W. (UNIT) KG	N.W. (TOTAL) KG	PRICE PER KG USD	PRICE (TOTAL) USD	Charge No	Mechanical Properties			Chemical Composition				
								Tensile Strength	Yieldpoint	Elongation	C	Mn	P	S	Si
NO.1	90 DEG ELBOW LR STD 3/4"	250	0.09	22.50	3.444	77.50	21127	435/439	261/267	24/27	0.19	0.38	0.025	0.027	0.26
NO.2	90 DEG ELBOW LR STD 1"	1200	0.14	168.00	3.143	528.00	21133	432/437	251/256	22/25	0.21	0.39	0.026	0.024	0.24
NO.3	90 DEG ELBOW LR STD 1-1/4"	2800	0.23	644.00	2.913	1876.00	21142	435/440	253/258	24/26	0.17	0.41	0.027	0.029	0.27
NO.4	90 DEG ELBOW LR STD 1-1/2"	2000	0.33	660.00	2.727	1800.00	21148	437/441	260/265	25/27	0.21	0.41	0.024	0.027	0.19
NO.5	90 DEG ELBOW LR STD 2"	2000	0.60	1200.00	2.500	3000.00	21160	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.6	90 DEG ELBOW LR STD 2-1/2"	250	1.15	287.50	2.391	687.50	21173	440/445	248/253	25/29	0.21	0.39	0.027	0.028	0.20
NO.7	90 DEG ELBOW LR STD 3"	600	1.85	1110.00	2.303	2556.00	21189	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.8	90 DEG ELBOW LR STD 4"	300	3.50	1050.00	2.206	2316.00	21114	511/516	254/259	25/29	0.20	0.38	0.028	0.027	0.26
NO.9	90 DEG ELBOW LR STD 5"	50	5.90	295.00	2.110	622.50	21140	523/528	264/269	27/29	0.21	0.37	0.027	0.029	0.23
NO.10	90 DEG ELBOW LR STD 6"	80	9.25	740.00	2.068	1530.40	21168	531/536	261/266	24/28	0.20	0.39	0.029	0.027	0.26
NO.11	90 DEG ELBOW LR STD 8"	80	18.50	1480.00	1.976	2924.80	21119	475/480	270/275	23/26	0.18	0.54	0.029	0.030	0.26
NO.12	90 DEG ELBOW LR STD 10"	25	32.00	800.00	2.045	1636.00	21183	493/498	273/278	26/29	0.19	0.61	0.024	0.028	0.29
NO.13	90 DEG ELBOW LR STD 12"	5	47.80	239.00	1.967	470.00	21125	435/440	265/270	25/28	0.21	0.55	0.027	0.028	0.25
NO.14	90 DEG ELBOW LR XH 1"	35	0.18	6.30	3.611	22.75	21633	431/436	263/268	24/26	0.22	0.39	0.031	0.025	0.24
NO.15	90 DEG ELBOW LR XH 1-1/4"	25	0.30	7.50	3.000	22.50	21642	521/526	262/267	23/28	0.21	0.44	0.032	0.028	0.25
NO.16	90 DEG ELBOW LR XH 1-1/2"	25	0.45	11.25	2.733	30.75	21648	542/546	258/263	23/27	0.18	0.35	0.028	0.030	0.24
NO.17	90 DEG ELBOW LR XH 2"	35	0.83	29.05	2.554	74.20	21660	442/447	260/265	25/28	0.19	0.38	0.026	0.027	0.23
NO.18	90 DEG ELBOW LR XH 2-1/2"	25	1.57	39.25	2.656	104.25	21673	447/452	253/258	26/29	0.21	0.37	0.029	0.028	0.26
NO.19	90 DEG ELBOW LR XH 3"	25	2.50	62.50	2.508	156.75	21689	529/531	259/264	27/29	0.17	0.39	0.025	0.029	0.19
NO.20	90 DEG ELBOW LR XH 4"	25	4.80	120.00	2.538	304.50	21614	456/461	263/268	25/27	0.18	0.61	0.030	0.027	0.27

Item	Product specification	Quantity	N.W. (UNIT) KG	N.W. (TOTAL) KG	PRICE PER KG USD	PRICE (TOTAL) USD	Charge No	Mechanical Properties			Chemical Composition				
								Tensile Strength	Yieldpoint	Elongation	C	Mn	P	S	Si
NO.21	90 DEG ELBOW LR XH 6"	25	14.00	350.00	2.357	825.00	21668	554/559	275/280	26/28	0.22	0.45	0.028	0.030	0.25
NO.22	90 DEG ELBOW LR XH 8"	5	28.00	140.00	2.387	334.20	21619	474/479	264/269	24/27	0.17	0.59	0.025	0.029	0.29
NO.23	90 DEG ELBOW LR XH 10"	3	44.00	132.00	2.453	323.76	21683	491/496	266/271	23/26	0.19	0.42	0.029	0.030	0.26
NO.24	90 DEG ELBOW LR XH 12"	2	63.00	126.00	2.321	292.42	21625	435/438	270/275	23/27	0.22	0.45	0.026	0.029	0.30
NO.25	90 DEG ELBOW SR STD 2"	50	0.40	20.00	3.500	70.00	21160	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.26	90 DEG ELBOW SR STD 2-1/2"	35	0.77	26.95	3.377	91.00	21173	440/445	248/253	25/29	0.21	0.39	0.027	0.028	0.20
NO.27	90 DEG ELBOW SR STD 3"	25	1.24	31.00	3.202	99.25	21189	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.28	90 DEG ELBOW SR STD 4"	25	2.35	58.75	3.038	178.50	21114	511/516	254/259	25/29	0.20	0.38	0.028	0.027	0.26
NO.29	90 DEG ELBOW SR STD 6"	15	6.20	93.00	2.634	244.95	21168	531/536	261/266	24/28	0.20	0.39	0.029	0.027	0.26
NO.30	90 DEG ELBOW SR STD 8"	10	12.40	124.00	2.409	298.70	21119	475/480	270/275	23/26	0.18	0.54	0.029	0.030	0.26
NO.31	45 DEG ELBOW STD 2"	35	0.30	10.50	3.000	31.50	21160	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.32	45 DEG ELBOW STD 3"	65	0.93	60.45	2.753	166.40	21189	441/446	253/258	23/24	0.22	0.40	0.025	0.025	0.25
NO.33	45 DEG ELBOW STD 4"	65	1.75	113.75	2.634	299.65	21114	511/516	254/259	25/29	0.20	0.38	0.028	0.027	0.26
NO.34	45 DEG ELBOW STD 6"	35	4.63	162.05	2.471	400.40	21168	531/536	261/266	24/28	0.20	0.39	0.029	0.027	0.26
NO.35	45 DEG ELBOW STD 10"	5	16.00	80.00	2.263	181.05	21183	493/498	273/278	26/29	0.19	0.61	0.024	0.028	0.29
NO.36	45 DEG ELBOW STD 14"	2	30.50	61.00	2.237	136.46	21135	437/441	263/268	27/29	0.17	0.45	0.026	0.026	0.26
NO.37	45 DEG ELBOW STD 18"	2	51.00	102.00	2.259	230.46	21157	511/516	278/283	24/26	0.18	0.47	0.025	0.029	0.30
NO.38	45 DEG ELBOW XH 3"	35	1.25	43.75	3.056	133.70	21689	529/531	259/264	27/29	0.17	0.39	0.025	0.029	0.19
NO.39	45 DEG ELBOW XH 4"	25	2.40	60.00	2.975	178.50	21614	456/461	263/268	25/27	0.18	0.61	0.030	0.027	0.27
NO.40	45 DEG ELBOW XH 6"	20	7.00	140.00	2.834	396.80	21668	554/559	275/280	26/28	0.22	0.45	0.028	0.030	0.25
NO.41	45 DEG ELBOW XH 10"	3	22.00	66.00	2.500	165.00	21683	491/496	266/271	23/26	0.19	0.42	0.029	0.030	0.26

10322

Total Net Weight: 10,973.05kgs

Manufacturer : Golden Highope Industrial Inc.

Exporter : Golden Highope Industrial Inc.

Total Amount: \$25,818.10 USD

Country of Origin: Taiwan.

Name: MR. WINSTON CHIU

Company's position: QUALITY MANAGER

Signature:



For and on behalf of
GOLDEN HIGHOPE INDUSTRIAL INC.



Authorized Signature(s)

